


T5 lighting fixture

Professional series--ZJY-F□□



Z model



R model

Mechanical features:

- Body: 0.8mm aluminum with powder coating, integrated design, durable, beautiful and elegant
- Lamp holder: made of high quality fire-resistant materials, safe and reliable.
- Installation: mounted, handle, maintained.
- Used for offices, supermarkets, schools and so on.

Electrical features:

- IC controlled high quality electronic ballast, safe and reliable.
- High frequency >40KHz, no flickering, noiseless, eye-protective function.
- Warm-start function,
- Cut-off technology, more energy saving.


Change a light, change the world

- Perfect protection functions, EOL protection, filament protection, over-current protection.
 - High power factor > 0.98, low THD < 10%, and low current crest factor < 1.5,
 - Voltage: 180~260V,
 - with CE certificate, comply with LVD (safety) and EMC (electromagnetic) standards of IEEC (EN61347, EN61000 etc),
- 0.8mm aluminum with powder coating, with or without reflector, with advance electronic ballast

	model	power	length of tube
high efficiency series (Z- without reflector R- with reflector)	ZJY-F14-Z	14W	550mm
	ZJY-F14-R	14W	550mm
	ZJY-F21-Z	21W	850mm
	ZJY-F21-R	21W	850mm
	ZJY-F28-Z	28W	1150mm
	ZJY-F28-R	28W	1150mm
	ZJY-F35-Z	35W	1450mm
	ZJY-F35-R	35W	1450mm

	model	power	length of tube
high output series (Z- without reflector R- with reflector)	ZJY-F24-Z	24W	550mm
	ZJY-F24-R	24W	550mm
	ZJY-F39-Z	39W	850mm
	ZJY-F39-R	39W	850mm
	ZJY-F54-Z	54W	1150mm
	ZJY-F54-R	54W	1150mm
	ZJY-F49-Z	49W	1450mm
	ZJY-F49-R	49W	1450mm

Deluxe lighting fixture




S model



D model



SR model



DR model

Deluxe professional series ZJH-□□

Mechanical features:

- Body: 0.4mm cold rolled steel with powder coating, durable, beautiful and elegant
- Lamp holder: made of high quality fire-resistant materials, safe and reliable
- Installation: mounted, handle, maintained

Electrical features:

- IC controlled high quality electronic ballast, safe and reliable.
- High frequency>40KHz, no flickering, noiseless, eye-protective function.

Change a light, change the world

- Warm-start function,
- Cutoff technology, more energy saving.
- Perfect protection functions, EOL protection, filament protection, over-current protection.
- High power factor > 0.98, low THD < 10%, and low current crest factor < 1.5,
- Voltage: 180~260V,
- With CE certificate, comply with LVD (safety) and EMC (electromagnetic) standards of IEEC (EN61347, EN61000 etc),

Cold rolled steel with powder coating, with advance electronic ballast

	model	power	length of tube
high efficiency series (S-single D-double SR-single with reflector DR-double with reflector)	ZJH-14S	14W	550mm
	ZJH-14D	14W	550mm
	ZJH-14SR	14W	550mm
	ZJH-14DR	14W	550mm
	ZJH-21S	21W	850mm
	ZJH-21D	21W	850mm
	ZJH-21SR	21W	850mm
	ZJH-21DR	21W	850mm
	ZJH-28S	28W	1150mm
	ZJH-28D	28W	1150mm
	ZJH-28SR	28W	1150mm
	ZJH-28DR	28W	1150mm
	ZJH-35S	35W	1450mm
	ZJH-35D	35W	1450mm
	ZJH-35SR	35W	1450mm
ZJH-35DR	35W	1450mm	

	model	power	length of tube
high output series (S-single D-double SR-single with reflector DR-double with)	ZJH-24S	24W	550mm
	ZJH-24D	24W	550mm
	ZJH-24SR	24W	550mm
	ZJH-24DR	24W	550mm
	ZJH-39S	39W	850mm
	ZJH-39D	39W	850mm
	ZJH-39SR	39W	850mm
	ZJH-39DR	39W	850mm
	ZJH-54S	54W	1150mm

Change a light, change the world

reflector)	ZJH-54D	54W	1150mm
	ZJH-54SR	54W	1150mm
	ZJH-54DR	54W	1150mm
	ZJH-49S	49W	1450mm
	ZJH-49D	49W	1450mm
	ZJH-49SR	49W	1450mm
	ZJH-49DR	49W	1450mm

Deluxe standard series ZJM-□□

Mechanical features:

- Body: 0.4mm cold rolled steel with powder coating, durable, beautiful and elegant
- Lamp holder: made of high quality fire-resistant materials, safe and reliable
- Installation: mounted, handle, maintained

Electrical features:

- Electronic ballast,
- Low THD<15%, high PF>0.98,
- Safe and reliable,
- Used for factories, offices...


Cold rolled steel with powder coating, with standard ballast

high efficiency series (S-single D-double SR-single with reflector DR-double with reflector)	model	power	length of tube
	ZJM-14S	14W	550mm
	ZJM-14D	14W	550mm
	ZJM-14SR	14W	550mm
	ZJM-14DR	14W	550mm
	ZJM-21S	21W	850mm
	ZJM-21D	21W	850mm
	ZJM-21SR	21W	850mm
	ZJM-21DR	21W	850mm
	ZJM-28S	28W	1150mm
	ZJM-28D	28W	1150mm

Change a light, change the world

	ZJM-28SR	28W	1150mm
	ZJM-28DR	28W	1150mm
	ZJM-35S	35W	1450mm
	ZJM-35D	35W	1450mm
	ZJM-35SR	35W	1450mm
	ZJM-35DR	35W	1450mm

Project series--ZJY-GR□□



Mechanical features:

- Body: 0.8mm aluminum with powder coating, durable, beautiful and elegant.
- Reflector: 48mm ultra-wide reflective surface made of professional nano reflective materials.
- Lamp holder: made of fire-resistant PV materials, safe and reliable
- Installation: mounted, handle, maintained.

Electrical features:


- Electronic ballast,
- Low THD<15%, high PF>0.98,
- Safe and reliable,
- Used for factories, offices...

0.8mm aluminum with powder coating, 48mm ultra-wide reflector, economic electronic

ballast

	model	power	length of tube
high efficiency series	ZJY-GR14	14W	550mm
	ZJY-GR21	21W	850mm
	ZJY-GR28	28W	1150mm
	ZJY-GR35	35W	1450mm

Ultra-wide reflector series--ZJY-KR□□



Mechanical features:

- Body: shiny aluminum, durable
- Ultra-wide reflector: made of professional nano reflective materials
- Lamp holder: made of fire-resistant PC materials, beautiful and elegant
- Installation: mounted, handle, maintained.

Electrical features:


- Electronic ballast,
- Low THD<15%, high PF>0.98,
- Safe and reliable,
- Used for factories, offices...

Change a light, change the world

0.4mm shiny aluminum, 48mm ultra-wide reflector, economic electronic ballast

	model	power	length of tube
high efficiency series	ZJY-KR14	14W	550mm
	ZJY-KR21	21W	850mm
	ZJY-KR28	28W	1150mm
	ZJY-KR35	35W	1450mm

Reflector series--ZJY-R□□



Mechanical features:

- Body: aluminum with powder coating, durable, beautiful and elegant
- Reflector: 35mm integrated design reflector.
- Lamp holder: made of fire-resistant PC materials, safe and beautiful
- Installation: mounted, handle, maintained

Electrical features:


- High standard electronic ballast, safe and reliable
- Low THD<15%, high PF>0.98,

0.4mm shiny aluminum, 35mm wide reflector, common electronic ballast

Change a light, change the world

high efficiency series	model	power	length of tube
	ZJY-R14	14W	550mm
	ZJY-R21	21W	850mm
	ZJY-R28	28W	1150mm
	ZJY-R35	35W	1450mm

High efficiency series--ZJY-Z□□



Mechanical features:

- Body: aluminum with powder coating, durable, beautiful and elegant
- Lamp holder: made of fire-resistant PC materials, safe and beautiful
- Installation: mounted, handle, maintained

Electrical features:

- High standard electronic ballast, safe and reliable
- Lower THD<15%, high PF>0.98,

0.4mm shiny aluminum, common electronic ballast

high efficiency series	model	power	length of tube
	ZJY-Z14	14W	550mm
	ZJY-Z21	21W	850mm
	ZJY-Z28	28W	1150mm
	ZJY-Z35	35W	1450mm